

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
0003		SR 78/PINE ISLAND RD, WEST OF SR 739/US 41B LC3		E	16000	W	16500	32500 C	9.84F	9.37	57.71F	52.82	5.48A
0005		SR 82, WEST OF I-75 @ TTMS 6020 LCPR20		E	16000	W	16500	32500 C	10.65F	10.08	68.54F	52.82	17.89A
0006		SR 80 EAST OF HERZOG ROAD		E	7700	W	7800	15500 C	10.16F	9.50	57.01F	52.82	13.43A
0008		SR 867 SOUTH OF COLLEGE PARKWAY LC3		N	18000	S	17500	35500 C	9.74F	9.36	55.49F	52.82	2.65A
0010		SR 865, AT MATANZAS PASS BRIDGE @ TTMS 6008 L		N	10500	S	10500	21000 C	9.74F	9.36	55.49F	52.82	3.95A
0012		SR 80, EAST OF OLD OLGA ROAD/BUCKINGHAM ROAD LC		E	10500	W	10500	21000 C	10.16F	9.49	57.01F	52.82	11.15A
0017		SR 78, EAST OF HART ROAD LC219		E	15000	W	14500	29500 C	9.84F	9.37	57.71F	52.82	8.29A
0019		SR739/BUS US41, NW OF EDISON BRIDGE @ TTMS 6041		N	14500	S	14500	29000 C	11.56F	10.93	68.04F	52.82	5.83A
0020		SR 865/SAN CARLOS BLVD, N OF SUMMERLIN ROAD LC3		N	7300	S	7200	14500 C	9.74F	9.36	55.49F	52.82	4.19A
0021		SR 82, NORTHWEST OF CR 884 LEE COUNTY L		E	9000	W	9500	18500 C	10.50F	10.04	66.40F	52.82	12.04A
0022		SR 78, EAST OF NALLE ROAD LC2		E	5300	W	5100	10400 C	10.16F	9.49	57.01F	52.82	13.81A
0023		SR 80 WB, NE OF SR 739/USB 41/FOWLER STREET SB		W	6500		0	6500 C	10.65F	10.08	99.99W	99.99	4.42A
0025		SR45/US41, S OF GLADIOLUS/SR 865/6-MI TURNOUT		N	36500	S	36500	73000 C	10.37F	9.86	58.94F	52.82	5.26A
0027		HICKORY BLVD, AT BONITA BEACH RD/CR 865 LC 299		E	6700	W	6700	13400 C	11.72F	11.03	57.80F	52.82	3.45A
0029		BURNT STORE RD/CR 765, N OF SR 78/PINE ISLAND RD		N	6500	S	6600	13100 C	10.84F	10.13	56.38F	52.82	4.90A
0030		SR 31, NORTH OF SR 80/PALM BEACH BOULEVARD LC3		N	4200	S	4300	8500 C	10.16F	9.49	57.01F	52.82	12.78A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -87- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
0031		SR 45/US 41, NORTH OF NORTH KEY DRIVE @ TTMS 600	N 25500	S 22500	48000 C	10.37F	9.86	58.94F	52.82	4.69A
0034		SR 45/US 41, NW OF SANIBEL BOULEVARD LC4	N 22500	S 22000	44500 C	10.37F	9.86	58.94F	52.82	4.56A
0036		SR 45/US 41/TAMIAMI TRAIL, NW OF SR 739/US BUS 4	N 11500	S 11000	22500 C	10.37F	9.86	58.94F	52.82	5.29A
0037		SR45/US41, N OF SR865/6-MI CYPRESS PKWY/CR865 LC	N 27500	S 27500	55000 C	10.37F	9.86	58.94F	52.82	3.73A
0038		SR 78, SOUTHWEST OF DEL PRADO BLVD CP CORAL L	E 20500	W 20500	41000 C	9.84F	9.37	57.71F	52.82	9.98P
0041		SR 45/US41, N OF BONITA BEACH ROAD	N 26000	S 27500	53500 C	10.37F	9.86	58.94F	52.82	2.23A
0042		SR 45/US 41, N OF COLLIER CO @ TTMS 6023 LCPR23	N 22000	S 23000	45000 C	10.37F	9.86	58.94F	52.82	2.02A
0048		SR 884/COLONIAL BLVD, W OF FOWLER STREET	E 35500	W 36500	72000 C	10.65F	10.08	68.54F	52.82	2.92A
0049		SR884/COLONIAL BLVD, E OF US41/W OF FOWLER ST	E 30000	W 29000	59000 C	10.65F	10.08	68.54F	52.82	3.83A
0050		SR 884/COLONIAL BLVD, E OF FOWLER STREET LC24	E 31000	W 29500	60500 C	10.65F	10.08	68.54F	52.82	3.94A
0054		SR 93/I 75, SOUTH OF CORKSCREW ROAD	N 34500	S 35500	70000 C	9.07F	8.51	55.79F	52.82	10.08A
0055		SR 93/I 75, SOUTH OF ALICO ROAD	N 36000E	S 35000E	71000 F	9.07F	8.51	55.79F	52.82	16.97P
0056		SR 93/I 75, SOUTH OF DANIELS PARKWAY	N 33000	S 33500	66500 C	9.07F	8.51	55.79F	52.82	12.92A
0057		SR 93/I 75, SOUTH OF SR 884/COLONIAL BLVD/CR 884	N 31500	S 31500	63000 C	9.07F	8.51	55.79F	52.82	14.03A
0058		SR 93/I 75, SOUTH OF SR 82/IMMOKALEE ROAD	N 33000	S 32500	65500 C	9.07F	8.51	55.79F	52.82	14.28A
0059		SR 93/I 75, SOUTH OF LUCKETT ROAD	N 35500	S 35000	70500 C	9.07F	8.51	55.79F	52.82	14.93A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -88- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE =====	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
0060		SR 93/I 75, NORTH OF LUCKETT ROAD LEE COUNTY		N	33000	S	32500	65500 C	9.07F	8.51	55.79F	52.82	14.81A
0061		SR 93/I 75, SOUTHEAST OF SR 78/BAYSHORE ROAD		N	27000	S	27000	54000 C	9.07F	8.51	55.79F	52.82	15.72A
0062		SR 93/I-75, NORTHWEST OF SR 78/BAYSHORE ROAD		N	19000	S	19000	38000 C	9.07F	9.50	55.79F	52.82	17.02A
0063		SR 884/COLONIAL BLVD, WEST OF SR 93/I-75 LC2		E	38500	W	37500	76000 C	10.65F	10.08	68.54F	52.82	5.30A
0064		SR 82, NORTHWEST OF BUCKINGHAM ROAD LC2		E	12500	W	13000	25500 C	10.50F	10.04	66.40F	52.82	12.68A
0065		SR 45/US 41, NORTH OF CR 887/OLD US 41 LC4		N	26000	S	25000	51000 C	10.37F	9.86	58.94F	52.82	3.44A
0066		SR 45/US 41, SOUTHEAST OF ALICO ROAD		N	23000	S	23500	46500 C	10.37F	9.86	58.94F	52.82	4.82A
0067		SR 45/US 41, NORTHWEST OF ALICO ROAD LC4		N	30000	S	29000	59000 C	10.37F	9.86	58.94F	52.82	5.10A
0068		SR 82, WEST OF BELL BOULEVARD S (LC21		E	4000	W	4000	8000 C	10.50F	10.04	66.40F	52.82	14.55A
0070		LEE BLVD/CR 884, N OF LEELAND HEIGHTS LC 311		E	5900	W	6200	12100 C	9.21F	9.00	58.32F	52.82	5.35A
0074		SR 78, WEST OF WILLIAMSBURG DRIVE @ TTMS 6004		E	12000	W	11500	23500 C	9.84F	9.37	57.71F	52.82	10.53A
0076		SR 876/DANIELS PKWY, EAST OF SR 93/I-75 @ TTMS 6		E	29500E	W	31000E	60500 F	11.65F	10.64	69.63F	52.82	4.77P
0077		SR 82, SOUTHEAST OF CR 884/COLONIAL BLVD LC2		E	10000	W	10000	20000 C	10.50F	10.04	66.40F	52.82	9.59A
0078		SR 739/US BUS 41, NORTH OF LAUREL DRIVE LC39		N	4200	S	4100	8300 C	11.56F	10.93	68.04F	52.82	8.84A
0079		SR45/US41, SOUTH OF SR739 & N OF LITTLETON RD L		N	9400	S	9400	18800 C	10.37F	9.86	58.94F	52.82	4.81A
0080		SR884, W OF CR865/ORTIZ/6-MI CYPRESS/WALMART LC2		E	34500	W	35000	69500 C	10.65F	10.08	68.54F	52.82	5.42A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -89- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
0081		SR 884/COLONIAL BLVD,E OF SR739/METRO PKWY LC2		E	29500	W	28000	57500 C	10.65F	10.08	68.54F	52.82	5.41A
0082		SR 867/MCGREGOR BLVD, S OF CYPRESS LAKE DR LC3		N	20500	S	21000	41500 C	9.74F	9.36	55.49F	52.82	2.84A
0083		SR867/MCGREGOR BLVD, S OF CR884/COLONIAL BLVD LC		N	11500	S	10500	22000 C	9.74F	9.36	55.49F	52.82	2.83A
0084		CR 867/MCGREGOR BLVD, SOUTH OF HILL AVENUE LC3		N	10500	S	10000	20500 C	10.10F	9.68	57.76F	52.82	2.51A
0085		SR 80/PALM BEACH BLVD, EAST OF SR 31 LC3		E	15000	W	15000	30000 C	10.16F	9.49	57.01F	52.82	8.10A
0089		SR 45/US 41/TAMIAMI TR, N OF ESTERO RV/S OF CNTY		N	20500	S	20000	40500 C	10.37F	9.86	58.94F	52.82	4.26A
0090		SR 45/US 41, NORTH OF BRANTLEY ROAD @ TTMS 6009		N	28500	S	29000	57500 C	10.37F	9.86	58.94F	52.82	3.22A
0091		SR 45/US 41, NORTH OF BOY SCOUT ROAD LC43		N	26500	S	25500	52000 C	10.37F	9.86	58.94F	52.82	3.27A
0092		SR 45/US 41, NORTH OF SR 884/COLONIAL BLVD LC4		N	25500E	S	26500E	52000 F	10.37F	9.86	58.94F	52.82	3.03P
0093		SR 45/US 41, NORTH OF WINKLER AVENUE LC4		N	25500E	S	26500E	52000 F	10.37F	9.86	58.94F	52.82	3.15F
0094		SR 45/US 41, NORTH OF HANCOCK BRIDGE PARKWAY LC4		N	20500	S	17000	37500 C	10.37F	9.86	58.94F	52.82	5.23A
0095		SR 867, NORTH OF WHISKEY CREEK DRIVE LC3		N	12500	S	12000	24500 C	9.74F	9.36	55.49F	52.82	2.93A
0097		LEE BLVD/CR 884, N OF LEELAND HEIGHTS LC 312		E	19500	W	19000	38500 C	9.21F	9.00	58.32F	52.82	3.98A
0098		SR 45/US 41, NORTHWEST OF ISLAND PARK ROAD LC4		N	31500	S	29000	60500 C	10.37F	9.86	58.94F	52.82	4.44A
0099		SR 45/US 41, NORTH OF WEST TERRY STREET LC4		N	21000	S	20000	41000 C	10.37F	9.86	58.94F	52.82	3.35A
0101		SR 82, EAST OF GUNNERY ROAD S/DANIELS PKWY TTM		E	10000	W	9500	19500 C	10.50F	10.04	66.40F	52.82	9.87A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -90- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====
0103		SR45/US41/TAMIAMI TR, S OF CHARLOTTE COUNTY LC4	LC4	N 7800	S 7900	15700 C	10.37F	9.86	58.94F	52.82	8.20A
0104		SR 80/PALM BEACH BLVD, WEST OF SR 31 @ TTMS 6005		E 13500	W 13500	27000 C	10.16F	9.49	57.01F	52.82	9.22A
0105		SR 45/US 41, SOUTHEAST OF HICKORY DRIVE @ TTMS 6		N 23000	S 22500	45500 C	10.37F	9.86	58.94F	52.82	4.04A
0107		SR 82, EAST OF OWEN AVENUE SOUTH		E 6500	W 6200	12700 C	10.50F	10.04	66.40F	52.82	11.10A
0108		SR 82, EAST OF COMMERCE LAKES DRIVE LC 222	LC 222	E 5600	W 5500	11100 C	10.50F	10.04	66.40F	52.82	12.28A
0109		SR 45/US 41/TAMIAMI TRL, NORTH OF DEL PRADO BLVD		N 11500	S 12000	23500 C	10.37F	9.86	58.94F	52.82	5.20A
0184	T	SR-93/I-75, 42' S OF DANIELS PKWY UNDERPASS, LEE		N 28740	S 26144	54884 C	8.79P	8.50	56.75P	55.97	16.51P
0203	T	SR-884, 1.6 MI W OF I-75, LEE CO.		E 23670	W 22959	46629 C	9.29A	9.00	57.56A	56.30	4.06A
0273	T	SR-31, 202' NORTH OF FOXHILL ROAD, LEE CO.		N 2124	S 2108	4232 C	9.88A	9.50	55.53A	52.00	23.48A
1001		SR 31, SOUTH OF CR 78/NORTH RIVER ROAD (LC39	LC39	N 3900	S 3800	7700 C	10.16F	9.50	57.01F	52.82	23.54A
1002		SR 78/BAYSHORE ROAD, SOUTHWEST OF SR 31		E 3800	W 3700	7500 C	10.16F	9.49	57.01F	52.82	19.33A
1003		SR 78/PINE ISLAND RD, W OF CHIQUITA BLVD @ TTMS		E 6100	W 6400	12500 C	9.84F	9.37	57.71F	52.82	7.57A
1004		JACKSON ST, S OF SR 82/MLK & N OF PECK ST S	S	N 900	S 1200	2100 C	10.65F	10.08	68.54F	52.82	6.28A
1005		SR 739, N OF N FORK DR		N 3300	0	3300 C	10.16F	9.49	99.99W	99.99	9.07A
2002		DEL PRADO BLVD, 300' SOUTH OF CORNWALLIS PKWY		N 21500	S 22000	43500 C	9.75F	9.33	56.97F	52.82	2.79A
2006		HOMESTEAD ROAD, 200' SOUTH OF WESTMINISTER STREE		N 13000	S 14000	27000 C	9.21F	9.00	58.32F	52.82	2.94A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -91- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
2007		BONITA BEACH ROAD, 1000' EAST OF VANDERBILT DRIV	E 13000	W 12500	25500 C	11.72F	11.03	57.80F	52.82	3.44A
2010		ALICO ROAD, 1000' WEST OF I-75 TTMS 6010 LCPR	E 16500	W 17500	34000 C	10.77F	10.18	53.61F	52.82	8.53A
2011		BUCKINGHAM ROAD, 1/2 MILE SOUTH OF SR 80/PALM BE	N 4600	S 4500	9100 C	9.21F	9.00	58.32F	52.82	9.02A
2012		CR 765/BURNT STORE RD, 2 MILES S OF CHARLOTTE CO	N 2800	S 2800	5600 C	10.84F	10.13	56.38F	52.82	6.43A
2013		CAPE CORAL PKWY, E OF SKYLINE BLVD TTMS 6013 L	E 16000	W 16000	32000 C	9.75F	9.33	56.97F	52.82	2.95A
2014		COLONIAL BLVD, 1500' EAST OF SUMMERLIN ROAD TT	E 29500	W 27500	57000 C	10.10F	9.68	57.76F	52.82	2.46A
2015		CORKSCREW ROAD, 1000' WEST OF I-75 TTMS 6015	E 18500	W 19000	37500 C	10.77F	10.18	53.61F	52.82	4.85A
2016		OLD 41 ROAD/CR 887, 300' NORTH OF COLLIER COUNTY	N 6800	S 6700	13500 C	11.72F	11.03	57.80F	52.82	5.36A
2017		HANCOCK BRIDGE PARKWAY, 500' WEST OF BEAU DRIVE	E 11500	W 13000	24500 C	10.64F	10.16	69.53F	52.82	3.45A
2018		SIX MILE CYPRESS PKWY, 200' NORTH OF WINKLER AVE	N 8200	S 7700	15900 C	10.07F	9.58	55.20F	52.82	6.29A
2019		SUMMERLIN RD, 1000' WEST OF WINKLER RD TTMS 601	E 20500	W 21500	42000 C	10.78F	10.30	55.36F	52.82	3.72A
2022		LEE BLVD/CR 884, W OF GUNNERY RD TTMS 6022 LC	E 15500	W 16500	32000 C	9.21F	9.00	58.32F	52.82	3.92A
2024		DEL PRADO BLVD, 1/2 MILE NORTH OF PINE ISLAND RO	N 9900	S 9600	19500 C	10.64F	10.16	69.53F	52.82	5.12A
2027		STRINGFELLOW ROAD, 1000' NORTH OF CASTILLE ROAD	N 4400	S 4400	8800 C	12.43F	11.78	52.94F	52.82	7.08A
2028		FOWLER ST, S OF HANSON ST TTMS 6028 LCPR 28	N 9600	S 11000	20600 C	10.10F	9.68	57.76F	52.82	4.06A
2029		MCGREGOR BLVD, N OF MANUELS DR TTMS 6029 LCPR	N 8700	S 8300	17000 C	10.10F	9.68	57.76F	52.82	3.56A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -92- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
2030		DANIELS PARKWAY, 1/4 MILE WEST OF METRO PARKWAY	E	25500	W	25500	51000 C	10.07F	9.58	55.20F	52.82	2.81A
2031		DANIELS PKWY, EAST OF CR 865/SIX MILE CYPRESS	E	33000	W	35000	68000 C	10.07F	9.58	55.20F	52.82	3.65A
2033		CHAMBERLIN PARKWAY, 500' SOUTH OF DANIELS PARKWA	N	900	S	850	1750 C	12.70F	10.59	64.81F	52.82	11.70A
2034		PONDELLA RD, E OF BETMAR BLVD TTMS 6034 LCPR	E	9700	W	11500	21200 C	10.64F	10.16	69.53F	52.82	6.07A
2036		SUMMERLIN ROAD, 1000' EAST OF JOHN MORRIS ROAD	E	10000	W	10000	20000 C	10.78F	10.30	55.36F	52.82	4.94A
2038		MCGREGOR BLVD/CR 867, E OF KELLY RD TTMS 6038	E	8500	W	8600	17100 C	10.78F	10.30	55.36F	52.82	2.57A
2039		GLADIOLUS DR, E OF A&W BULB RD TTMS 6039 LCPR	E	10500	W	10000	20500 C	10.78F	10.30	55.36F	52.82	4.97A
2040		DEL PRADO BLVD, AT FOUR MILE COVE BLVD TTMS 6	N	25500	S	26500	52000 C	9.75F	9.33	56.97F	52.82	2.78A
2042		BONITA BEACH RD/CR 865, W OF I-75 TTMS 6042	E	17000	W	15500	32500 C	11.72F	11.03	57.80F	52.82	6.15A
2043		COLLEGE PARKWAY, 1000' EAST OF WINKLER ROAD TT	E	23500	W	21500	45000 C	10.10F	9.68	57.76F	52.82	2.01A
2044		ESTERO BLVD, 100' NORTH OF DONORA BLVD TTMS 6	N	7200	S	7200	14400 C	9.56F	9.19	52.72F	52.82	3.60A
2046		GLADIOLUS DR, W OF SR 45/US 41 TTMS 6046 LCPR	E	24500	W	25500	50000 C	10.78F	10.30	55.36F	52.82	5.02A
2048		DANIELS PKWY, E OF CHAMBERLIN PKWY @ TTMS 6048	E	20500	W	20500	41000 C	12.70F	10.59	64.81F	52.82	4.47A
2050		VETERANS BLVD, E OF SANTA BARBARA BLVD TTMS 60	E	28000	W	27000	55000 C	9.75F	9.33	56.97F	52.82	2.59A
2053		ALICO ROAD, 1000' WEST OF BEN HILL GRIFFIN PKWY	E	17500	W	17000	34500 C	10.77F	10.18	53.61F	52.82	7.04A
2055		SANTA BARBARA BLVD, S OF SW 28TH ST & VETERANS P	N	11000	S	11000	22000 C	9.75F	9.33	56.97F	52.82	2.47A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -93- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
2056		CAPE CORAL PARKWAY, WEST OF PALM TREE BLVD	TT	E	25000	W	25000	50000 C	9.75F	9.33	56.97F	52.82	2.61A
2058		CHIQUITA BLVD, N OF SW 27TH ST & S OF VETERANS		N	9700	S	9800	19500 C	9.75F	9.33	56.97F	52.82	4.79A
2060		BEN HILL GRIFFIN PKWY, S OF MIDFIELD TERMINAL RD		N	15000	S	14000	29000 C	12.70F	10.59	64.81F	52.82	3.27A
2061		BEN HILL GRIFFIN PKWY, N OF MIDFIELD TERMINAL RD		N	15000	S	13000	28000 C	12.70F	10.59	64.81F	52.82	3.63A
2100		CAPE CORAL BRIDGE, AT TOLL PLAZA	TTMS 6100 LC	E	25500	W	27500	53000 C	10.78F	10.30	55.36F	52.82	2.51A
2101		VETERANS BLVD, AT MIDPOINT BRIDGE TOLL PLAZA		E	24000	W	23500	47500 C	10.10F	9.68	57.76F	52.82	2.61A
2102		PERIWINKLE DRIVE, SANIBEL CAUSEWAY AT TOLL PLAZA		E	8500	W	8600	17100 C	11.44F	10.99	53.80F	52.82	3.94A
3043		COUNTRY CLUB BLVD, S OF VETERANS BLVD	CC	N	7200	S	7100	14300 C	9.75F	9.33	56.97F	52.82	2.74A
3049		CULTURAL PARK BLVD, N OF NICHOLAS PKWY	CC	N	4800	S	6100	10900 C	9.75F	9.33	56.97F	52.82	4.40A
3053		DEL PRADO BLVD, N OF KISMET PKWY	CC	N	7200	S	7200	14400 C	10.64F	10.16	69.53F	52.82	5.72A
3079		GLEASON PKWY, W OF OASIS	CC	E	650	W	650	1300 C	9.75F	9.33	56.97F	52.82	6.30A
3119		SANTA BARBARA BLVD, N OF NICHOLAS PKWY	CC	N	8200	S	8500	16700 C	9.75F	9.33	56.97F	52.82	5.54A
3140		SURFSIDE BLVD, N OF VETERANS PKWY	CC	N	900	S	950	1850 C	9.75F	9.33	56.97F	52.82	7.50A
3146		TROPICANA PKWY, W OF ANDALUSA BLVD	CC	E	1100	W	1400	2500 C	9.75F	9.33	56.97F	52.82	10.45A
3147		TROPICANA PKWY, E OF CHIQUITA BLVD	CC	E	2600	W	2400	5000 C	9.75F	9.33	56.97F	52.82	16.25A
3154		VISCAYA PKWY, W OF DEL PRADO BLVD	CC	E	10000	W	8900	18900 C	9.75F	9.33	56.97F	52.82	3.42A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -94- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
4215		A&W BULB RD, N OF GLADIOLUS DR/CR 865 LC 215	N 3500	S 3300	6800 C	10.78F	10.30	55.36F	52.82	2.50A
4226		BONITA BEACH RD/CR 865, E OF OLD 41 RD/CR 887	E 16500	W 16500	33000 C	11.72F	11.03	57.80F	52.82	5.37A
4237		COLLEGE PKWY, E OF KENWOOD LN LC 237	E 20000	W 19000	39000 C	10.10F	9.68	57.76F	52.82	2.70A
4247		CORKSCREW RD, E OF SR 45/US 41 LC 247	E 11500	W 10500	22000 C	10.77F	10.18	53.61F	52.82	4.07A
4249		CORKSCREW RD, EAST OF SR 93/I-75 LC 249	E 18000	W 16500	34500 C	10.77F	10.18	53.61F	52.82	4.40A
4250		CORKSCREW RD, E OF ALICO RD LC 250	E 1700	W 1700	3400 C	10.77F	10.18	53.61F	52.82	14.39A
4257		CYPRESS LAKE DR, EAST OF SOUTH POINTE BLVD LC	E 13500	W 14000	27500 C	10.78F	10.30	55.36F	52.82	2.81A
4263		DANIELS PKWY, W OF PLANTATION RD LC 263	E 24000	W 25500	49500 C	10.07F	9.58	55.20F	52.82	2.92A
4267		DEL PRADO BLVD, S OF SR 78/PINE ISLAND RD LC 2	N 16000	S 17000	33000 C	10.64F	10.16	69.53F	52.82	3.84A
4274		CR 865/ESTERO BLVD, @ BIG CARLOS PASS BRIDGE P	N 3700	S 3600	7300 C	9.56F	9.19	52.72F	52.82	3.98A
4278		FOWLER ST, N OF COLONIAL BLVD LC 278	N 12000	S 12000	24000 C	10.10F	9.68	57.76F	52.82	3.92A
4280		FOWLER ST, NORTH OF AIRPORT RD LC 280	N 14000	S 13500	27500 C	10.10F	9.68	57.76F	52.82	4.32A
4284		GLADIOLUS DR, E OF SAN CARLOS BLVD LC 284	E 5500	W 5700	11200 C	10.78F	10.30	55.36F	52.82	3.14A
4300		HICKORY BLVD, N OF MCLAUGHLIN BLVD LC 300	S 4900	N 5000	9900 C	9.56F	9.19	52.72F	52.82	3.21A
4315		LITTLETON RD, WEST OF SR 739/BUSINESS 41 LC 31	E 3400	W 3500	6900 C	10.64F	10.16	69.53F	52.82	4.17A
4319		CAPTIVA DR, N OF BLIND PASS BRIDGE LC 319	N 2500	S 2500	5000 C	11.44F	10.99	53.80F	52.82	4.95A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -95- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
4323		MCCGREGOR BLVD/CR 867, E OF PORT COMFORT RD LC	E 9600	W 9700	19300 C	11.44F	10.99	53.80F	52.82	4.59A
4370		PLANTATION RD, N OF DANIELS PKWY LC 370	N 5200	S 5100	10300 C	10.07F	9.58	55.20F	52.82	3.70A
4373		PONDELLA RD, E OF SR 78/PINE ISLAND RD LC 373	E 6800	W 7400	14200 C	10.64F	10.16	69.53F	52.82	6.59A
4374		PONDELLA RD, WEST OF BUSINESS 41/SR 739 LC 374	E 10000	W 8400	18400 C	10.64F	10.16	69.53F	52.82	5.00A
4384		WINKLER RD, S OF CYPRESS LAKE DR LC 384	N 7500	S 7500	15000 C	10.78F	10.30	55.36F	52.82	2.74A
4387		SIX MILE CYPRESS/CR 865, E OF METRO PKWY/SR 739	E 13500	W 12500	26000 C	10.07F	9.58	55.20F	52.82	4.35A
4389		SLATER RD, N OF SR 78/BAYSHORE RD LC 389	N 3400	S 3300	6700 C	10.64F	10.16	69.53F	52.82	9.29A
4414		THREE OAKES PKWY, S OF ALICO RD LC 414	N 6000	S 5700	11700 C	10.77F	10.18	53.61F	52.82	5.63A
4443		DEL PRADO BLVD, EAST OF SR 45/US 41 LC 443	E 2600	W 2700	5300 C	10.64F	10.16	69.53F	52.82	6.98A
4453		BEN HILL GRIFFIN PKWY, S OF COLONIAL BLVD LC 4	N 4600	S 4800	9400 C	12.70F	10.59	64.81F	52.82	5.57A
4465		ESTERO PKWY, E OF SR45/US 41 LC 465	E 4200	W 3800	8000 C	10.77F	10.18	53.61F	52.82	2.72A
4469		LEONARD/23RD STREET SW, E OF GUNNERY RD LC 469	E 5100	W 5600	10700 C	9.21F	9.00	58.32F	52.82	4.27A
4487		NALLE GRADE ROAD, WEST OF NALLE ROAD LC 487	E 600	W 550	1150 C	10.64F	10.16	69.53F	52.82	19.32A
4490		COCONUT RD, E OF SR 45/US 41 LC 490	E 7300	W 7700	15000 C	10.77F	10.18	53.61F	52.82	2.36A
4492		IMPERIAL ST, S OF CR 865/BONITA BEACH RD LC 49	N 11000	S 9100	20100 C	11.72F	11.03	57.80F	52.82	4.02A
4510		GASPARILLA BLVD, S OF CHARLOTTE COUNTY LINE LC	N 2700	S 2800	5500 C	9.56F	9.19	52.72F	52.82	6.38A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -96- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
4511		FOWLER ST, EAST OF SR 45/US 41 LC 511	E 11500	W 11500	23000 C	10.10F	9.68	57.76F	52.82	4.26A
4513		VETERANS BLVD, E OF COUNTRY CLUB BLVD LC 513	E 27500	W 27000	54500 C	9.75F	9.33	56.97F	52.82	3.02A
4514		BEN HILL GRIFFIN PKWY, S OF ALICO RD LC 514	N 17000	S 13000	30000 C	10.77F	10.18	53.61F	52.82	2.06A
4515		DEL PRADO BLVD, S OF EVEREST PKWY LC 515	N 25000	S 26500	51500 C	9.75F	9.33	56.97F	52.82	3.46A
4516		DEL PRADO BLVD, N OF VETERANS PKWY LC 516	N 28500	S 29500	58000 C	9.75F	9.33	56.97F	52.82	2.70A
4521		PLANTATION RD, NORTH OF SIX MILE CYPRESS LC 52	N 2400	S 2400	4800 C	10.07F	9.58	55.20F	52.82	5.08A
4522		MIRACLE PKWY/VETERANS PKWY, E OF SKYLINE BLVD	E 19500	W 19500	39000 C	9.75F	9.33	56.97F	52.82	2.91A
4525		THREE OAKES PKWY, S OF CORKSCREW RD LC 525	N 10500	S 9600	20100 C	10.77F	10.18	53.61F	52.82	5.77A
4526		VETERANS PKWY, EAST OF SURFSIDE BLVD LC 526	W 8900	E 9800	18700 C	9.75F	9.33	56.97F	52.82	4.39A
4527		VETERANS PKWY, SOUTH OF SR 78/PINE ISLAND RD L	N 6700	S 7100	13800 C	9.75F	9.33	56.97F	52.82	4.26A
4607		VERONICA SHOEMAKER BLVD, N OF SR 884/COLONIAL BL	N 2700	S 2900	5600 C	10.07F	9.58	55.20F	52.82	7.86A
4608		MICHIGAN AVE, E OF SEABOARD ST LC 608	E 2100	W 1700	3800 C	10.10F	9.68	57.76F	52.82	5.50A
4612		FORD ST, S OF EDISON AVE LC 612	N 3200	S 3200	6400 C	10.10F	9.68	57.76F	52.82	6.17A
4614		CORTEZ BLVD, W OF US 41 LC 614	E 1100	W 1100	2200 C	10.10F	9.68	57.76F	52.82	5.03A
4901		WEST GULF DRIVE, W OF ISLAND INN RD	E 1800	W 1800	3600 C	11.44F	10.99	53.80F	52.82	5.18A
4902		HANSON ST, E OF FORD	E 3900	W 3800	7700 C	10.07F	9.58	55.20F	52.82	13.60A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -97- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
4903		CR 865/BONITA BEACH RD, E OF BONITA GRANDE DR	E 3800	W 3900	7700 C	11.72F	11.03	57.80F	52.82	3.66A
4904		WEST GULF DRIVE, W OF CASA YBEL ROAD	E 1900	W 1700	3600 C	11.44F	10.99	53.80F	52.82	4.01A
5001		SR 867, N OF SHADDELEE LN/S OF WINKLER LC331	N 8100	S 7800	15900 C	9.74F	9.36	55.49F	52.82	3.81A
5005		SR 82/M L KING JR BLVD, WEST OF BROADWAY	E 6600	W 6400	13000 C	10.65F	10.08	68.54F	52.82	4.87A
5006		SR82/M L KING JR BLVD, E OF SR45/US41/CLEVELAND	E 5700	W 2900	8600 C	10.65F	10.08	68.54F	52.82	3.39A
5007		SR 80/PALM BCH BLVD, SW OF VERONICA SHOEMAKER BL	E 7900	W 9500	17400 C	10.65F	10.08	68.54F	52.82	5.27A
5009		SR 82/M L KING JR BLVD, WEST OF HENDERSON AVENUE	E 15000	W 15500	30500 C	10.65F	10.08	68.54F	52.82	6.12A
5010		SR 45/US 41/TAMIAMI TRAIL, SOUTH OF HANSON STREE	N 23000	S 23000	46000 C	10.37F	9.86	58.94F	52.82	3.15F
5011		SR 45/US 41/TAMIAMI TRAIL, N OF HANSON ST LC42	N 23500	S 22000	45500 C	10.37F	9.86	58.94F	52.82	2.91P
5012		SR 45/US 41, NORTH OF EDISON AVENUE	N 24500	S 23000	47500 C	10.37F	9.86	58.94F	52.82	3.15F
5015		SR 80/MAIN ST, WEST OF MONROE STREET	E 5800E	W 1200E	7000 F	10.65F	10.08	68.54F	52.82	3.15P
5018		CR 867/MCGREGOR BLVD, SOUTH OF WINKLER ROAD LC3	N 9300	S 8900	18200 C	10.10F	9.68	57.76F	52.82	2.95A
5019		SR 82/MLK JR BLVD, E OF VERONICA SHOEMAKER BLVD	E 15000	W 15500	30500 C	10.65F	10.08	68.54F	52.82	13.06A
5020		SR 80/PALM BEACH BLVD, NE OF CR 80B/ORTIZ AV LC3	E 14000E	W 13500E	27500 F	10.65F	10.08	68.54F	52.82	5.25F
5023		SR 45/US 41, NW OF CR 78A/PONDELLA RD LC431	N 15500	S 14000	29500 C	10.37F	9.86	58.94F	52.82	5.51A
5025		SR 45/US 41, NORTH OF SOUTH ROAD LC4	N 33000	S 31500	64500 C	10.37F	9.86	58.94F	52.82	3.20A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -98- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE =====	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5026		SR 78/PINE ISLAND ROAD, NE OF PONDELLA ROAD @ TT		E	14500	W	15000	29500 C	9.84F	9.37	57.71F	52.82	5.49A
5027		SR 739/US BUS41, NORTH OF POWELL DRIVE LC3		N	8600	S	8500	17100 C	11.56F	10.93	68.04F	52.82	7.05A
5028		SR 78/BAYSHORE DR, EAST OF SR 739/US BUS 41 LC2		E	18000	W	17500	35500 C	9.84F	9.37	57.71F	52.82	5.80A
5029		SR 45/US 41, N OF SR 78/PINE ISLAND RD LC4		N	13000	S	14000	27000 C	10.37F	9.86	58.94F	52.82	3.90A
5035		SR739/BUS US41 SB, N OF EDISON BRIDGE/S OF LCPR4		S	14500		0	14500 C	11.56F	10.93	99.99W	99.99	5.57A
5037		MONROE ST, NW OF MAIN ST (SR 80 WB XFER TO CITY		N	1800	S	5100	6900 C	10.10F	9.68	57.76F	52.82	4.06A
5038		SR 82/SR 80 EB/MONROE STREET, SE OF MAIN STREET		N	5500	S	4500	10000 C	10.65F	10.08	68.54F	52.82	4.43A
5039		SR45/US41, N OF AIRPORT RD/S OF SR 884 LC4		N	26000	S	26000	52000 C	10.37F	9.86	58.94F	52.82	3.13A
5040		SR 78/PINE ISLAND RD, SW OF SANTA BARBARA BLVD		E	12000	W	12500	24500 C	9.84F	9.37	57.71F	52.82	6.32A
5041		SR45/US41, N OF CYPRESS LAKE DR/DANIELS PKWY LC		N	28000	S	28500	56500 C	10.37F	9.86	58.94F	52.82	3.11A
5042		SR 78, WEST OF SR 45/US 41 (LC364)		E	14500	W	16000	30500 C	9.84F	9.37	57.71F	52.82	6.64A
5043		SR 739/US BUS41, NORTH OF PONDELLA ROAD LC3		N	13000	S	10500	23500 C	11.56F	10.93	68.04F	52.82	5.42A
5045		BAY STREET, NE OF MONROE ST (SR80WB XFER TO CITY		E	700	W	2800	3500 C	10.10F	9.68	57.76F	52.82	1.60A
5049		SR 80 EB/SECOND ST, NE OF SR739/US BUS41/FOWLER		E	8000		0	8000 C	10.65F	10.08	99.99W	99.99	3.86A
5050		SR 80 EB/SECOND STREET, EAST OF EVANS AVENUE		E	8300		0	8300 C	10.65F	10.08	99.99W	99.99	4.06A
5051		SR 80 EB/SEABOARD ST, S OF SR 80/PALM BEACH BLVD		N	9300		0	9300 C	10.65F	10.08	99.99W	99.99	5.43A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -99- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5052		SR 82/M L KING JR BLVD,E OF SR739/FOWLER ST LC2		E	23500E	W	9700E	33200 F	10.65F	10.08	68.54F	52.82	4.82P
5053		SR82/M L KING JR BLVD, W OF CR80B/ORTIZ AV LC2		E	16000	W	17500	33500 C	10.65F	10.08	68.54F	52.82	10.69A
5054		SR 865/6-MILE CYPRESS PKWY, EAST OF US 41 LC3		E	18000	W	17500	35500 C	11.56F	10.93	68.04F	52.82	8.60P
5055		SR739/METRO PKWY, N OF SR865/6-MI CYPRESS PKW		N	4200	S	4900	9100 C	11.56F	10.93	68.04F	52.82	7.78A
5056		SR 739/METRO PARKWAY, N OF DANIELS PARKWAY LC3		N	12500	S	12500	25000 C	11.56F	10.93	68.04F	52.82	6.68A
5058		SR739/METRO PKWY, S OF SR884/COLONIAL BLVD LC3		N	17000	S	17000	34000 C	11.56F	10.93	68.04F	52.82	7.28A
5059		SR 739/METRO PKWY, N OF SR 884/COLONIAL BLVD LC3		N	10000	S	10500	20500 C	11.56F	10.93	68.04F	52.82	6.05A
5060		SR 739/METRO PARKWAY, S OF HANSON STREET LC33		N	6400	S	6100	12500 C	11.56F	10.93	68.04F	52.82	9.50A
5062		SR 739/HANSON STREET, EAST OF EVANS AVENUE (LC29		E	6700E	W	7000E	13700 F	11.56F	10.93	68.04F	52.82	6.67P
5064		SR 739/FOWLER STREET, N OF HANSON STREET LC2		N	11500	S	13000	24500 C	11.56F	10.93	68.04F	52.82	3.86A
5065		SR 739/FOWLER ST, S OF SR 82/MLK JR BLVD LC2		N	8800	S	11500	20300 C	11.56F	10.93	68.04F	52.82	4.17A
5066		SR739/BUS US41/FOWLER SB, S OF SR80/1ST ST		S	20000		0	20000 C	11.56F	10.93	99.99W	99.99	4.68A
5067		SR 739/BUS US 41/FOWLER SB, N OF THOMPSON STREET		S	14000		0	14000 C	11.56F	10.93	99.99W	99.99	6.50A
5068		SR 739/US BUS 41/EVANS AVE NB, NORTH OF LEMON ST		N	11500		0	11500 C	11.56F	10.93	99.99W	99.99	7.12A
5069		SR 739/US BUS 41/EVANS AVE NB, S OF SR 80/2ND ST		N	12000		0	12000 C	11.56F	10.93	99.99W	99.99	7.96A
5070		SR 739/BUS US 41/PARK AVE NB, N OF SR 80/2ND ST		N	11000		0	11000 C	11.56F	10.93	99.99W	99.99	5.97A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -100- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR	
5071		SR739/BUS US41 NB, N OF EDISON BRIDGE/S OF LCPR4	N	14500	0	14500 C	11.56F	10.93	99.99W	99.99	6.10A
5072		SR 739/METRO PKWY, NORTH OF WINKLER AVE LC3	N	8100	S 7900	16000 C	11.56F	10.93	68.04F	52.82	8.31A
5073		SR 80/PALM BEACH BLVD, SW OF TICE STREET LC4	E	10500	W 11000	21500 C	10.65F	10.08	68.54F	52.82	5.23A
5075		SR 867/MCGREGOR BLVD, SW OF PINE RIDGE RD @ TTMS	N	14500	S 14500	29000 C	9.74F	9.36	55.49F	52.82	3.66A
5076		SR 82, W OF CRANFORD AVE & E OF EVANS AVE LC2	E	13500	W 13000	26500 C	10.65F	10.08	68.54F	52.82	7.23A
5078		SR 739/METRO PKWY, NORTH OF ARC WAY @ TTMS 6045	N	15000	S 14000	29000 C	11.56F	10.93	68.04F	52.82	7.84A
6001	T	US 41, 200' N OF NORTH KEY DRIVE, PTMS 31, LCPR	N	23985	S 17651	41636 C	9.84A	9.50	72.83A	72.05	5.14F
6002	T	DEL PRADO BLVD, 300' S OF CORNWALLIS PKWY, PTMS	N	18220	S 18982	37202 C	9.71A	9.24	54.34A	53.83	3.12F
6003	T	CR78/PINE ISLAND RD, W OF MATLACHA PASS, PTMS 02	E	5164	W 5172	10336 C	11.26A	10.72	54.29A	53.85	5.98F
6005	T	SR 80/PALM BEACH BLVD, 0.25 MI W OF SR 31. PTMS	E	12909	W 13095	26004 C	10.24A	9.63	63.18A	61.61	8.66F
6006	T	HOMESTEAD ROAD, 200' S OF WESTMINSTER ST PTMS	N	11857	S 13760	25617 C	9.21A	9.00	58.32A	58.38	8.66F
6007	T	BONITA BEACH RD, 1000' E OF VANDERBILT DR, PTMS	E	12175	W 11809	23984 C	12.65A	12.08	52.45A	52.00	4.07F
6009	T	US 41, 500' N OF BRANTLEY RD, PTMS 90, LCPR 09	N	28215	S 22145	50360 C	9.81A	9.40	54.87A	55.37	3.15F
6010	T	ALICO RD, 1000' W OF I-75 PTMS 2010 LCPR 10	E	11650	W 14181	25831 C	10.77F	10.18	53.61F	52.82	5.30F
6011	T	BUCKINGHAM RD, 0.5 MI S OF SR 80/PALM BEACH BLVD	N	4103	S 4109	8212 C	9.21F	9.00	58.32F	52.82	12.29F
6012	T	CR 765/BURNT STORE RD, 2 MI S OF CHARLOTTE CO/L,	N	2707	S 2714	5421 C	10.99A	9.98	56.57A	52.97	5.98F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -101- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT	"K"	DEMAND	"D"	DEMAND	"T"
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
6013	T	CAPE CORAL PKWY, E OF SKYLINE BLVD, PTMS 2013 L	L	E	12820	W	13163	25983 C	9.82A	9.28	64.02A	67.20	5.98F
6014	T	COLONIAL BLVD, 1500' E OF SUMERLIN RD, PTMS 2014		E	27929	W	24926	52855 C	9.23A	9.00	59.13A	59.20	3.56F
6015	T	CORKSCREW RD, 1000' W OF I-75, PTMS 2015, LCPR 1		E	15863	W	17190	33053 C	11.10A	10.55	52.41A	52.00	5.30F
6016	T	OLD 41 RD/CR 887, 300' N OF COLLIER CO/L, PTMS 2		N	5943	S	5662	11605 C	11.38A	10.62	62.14A	59.86	3.02F
6017	T	HANCOCK BRIDGE PKWY, 500' W OF BEAU DR, PTMS 201		E	10171	W	11694	21865 C	10.31A	9.88	70.67A	69.98	4.74F
6018	T	SIX MILE CYPRESS PKWY, N OF WINKLER AVE, PTMS 20		N	6945	S	6742	13687 C	10.33A	9.73	58.04A	58.26	5.98F
6020	T	SR 82/DR. MLK JR. BLVD, 1000' W OF I-75, PTMS 05		E	14091	W	14450	28541 C	10.29A	9.76	69.33A	66.33	14.29F
6021	T	SR 82/IMMOKOLEE RD, 500' E OF GUNNERY RD, PTMS 1		E	10020	W	9901	19921 C	9.96A	9.51	65.45A	66.78	11.26F
6022	T	LEE BLVD/CR 884, W OF GUNNERY RD, PTMS 2022, LCP		E	11919	W	9056	20975 C	9.21F	9.00	58.32F	52.82	5.38F
6023	T	US 41, 0.25 MI N OF COLLIER CO/L, PTMS 42, LCPR		N	17731	S	16991	34722 C	11.04A	10.44	57.00A	57.72	3.02F
6024	T	DEL PRADO BLVD, 0.5 MI N OF PINE ISLAND RD, PTMS		N	11566	S	9703	21269 C	10.64F	10.16	69.53F	52.82	5.98F
6025	T	US 41, 500' S OF HICKORY DR, PTMS 105, LCPR 25		N	20031	S	20639	40670 C	10.44A	9.82	54.81A	55.99	4.42F
6027	T	STRINGFELLOW RD, 1000' N OF CASTILLE RD, PTMS 20		N	2056	S	2056	4112 C	13.59A	12.84	51.60A	54.39	4.07F
6028	T	FOWLER ST, S OF HANSON ST, PTMS 2028, LCPR 28		N	8974	S	14460	23434 C	10.25A	9.75	60.68A	62.71	7.40F
6029	T	CR 867/MCGREGOR BLVD, N OF MANUELS DR, PTMS 2029		N	7746	S	7306	15052 C	10.05A	9.67	54.69A	54.92	3.12F
6030	T	DANIELS PKWY, 0.25 MI W OF METRO PKWY, PTMS 2030		E	20499	W	20753	41252 C	9.63A	9.24	52.53A	52.28	5.30F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -102- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
6031	T	DANIELS PKWY, E OF CR 865/SIX MILE CYPRESS, PTMS	E	27586	W	29644	57230 C	10.26A	9.77	55.02A	56.55	5.98F
6033	T	CHAMBERLIN PKWY, 500' S OF DANIELS PKWY, PTMS 20	N	946	S	723	1669 C	18.63A	11.32	76.86A	61.16	5.30F
6034	T	PONDELLA RD, E OF BETMAR BLVD, PTMS 2034, LCPR 3	E	8390	W	9472	17862 C	10.96A	10.43	68.39A	70.34	5.98F
6035	T	SUMMERLIN RD, 500' S OF PARK MEADOWS RD, PTMS 20	N	16232	S	15965	32197 C	10.10F	9.68	57.76F	52.82	3.56F
6036	T	SUMMERLIN RD, 1000' E OF JOHN MORRIS RD PTMS	E	8753	W	8756	17509 C	11.85A	11.46	54.47A	53.24	3.56F
6037	T	SR 867/MCGREGOR BLVD, 500' S OF PINE RIDGE RD, P	N	13365	S	13699	27064 C	9.74A	9.36	55.49A	55.90	3.12F
6038	T	MCGREGOR BLVD/CR 867, N OF KELLY RD PTMS 20	N	7795	S	8174	15969 C	11.04A	10.53	53.13A	54.02	4.07F
6040	T	DEL PRADO BLVD, AT FOUR MILE COVE BLVD, PTMS 204	N	22225	S	26132	48357 C	9.87A	9.46	52.79A	53.35	5.98F
6041	T	SR 739/US 41B, 500' N OF EDISON BRIDGE, PTMS 19,	N	12629	S	12594	25223 C	12.36A	11.50	78.72A	74.84	5.73F
6042	T	BONITA BEACH RD/CR 865, W OF I-75, PTMS 2042, LC	E	14141	W	11392	25533 C	11.13A	10.39	58.80A	58.37	3.12F
6043	T	COLLEGE PKWY, 1000' E OF WINKLER RD, PTMS 2043,	E	18102	W	14254	32356 C	11.15A	10.58	59.41A	60.65	3.56F
6044	T	ESTERO BLVD, 100' N OF DONORA BLVD, PTMS 2044, L	N	7155	S	7050	14205 C	9.56A	9.19	52.72A	52.66	4.07F
6045	T	SR 739/METRO PKWY, 500' N OF ARC WAY, PTMS 5078,	N	11788	S	11064	22852 C	10.75A	10.36	57.36A	54.54	7.40F
6046	T	GLADIOLUS DR, W OF SR 45/US 41, PTMS 2046, LCPR	E	19603	W	15728	35331 C	10.12A	9.59	54.30A	53.55	3.12F
6048	T	DANIELS PKWY, E OF CHAMBERLIN PKWY, PTMS 2048, L	E	17434	W	17466	34900 C	11.25A	10.89	72.88A	72.74	5.30F
6049	T	SR 78/PINE ISLAND RD, 2000' E OF PONDELLA RD, PT	E	11059	W	13155	24214 C	9.42A	9.04	57.15A	56.88	5.98F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -103- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
6050	T	VETERAN'S PKWY, W OF ACADEMY BLVD, PTMS 2050, LC	E 24247	W 23698	47945 C	9.79A	9.36	68.04A	65.72	3.56F
6052	T	SR 876/DANIELS PKWY, E OF I-75, PTMS 76, LCPR 52	E 16316	W 18816	35132 C	12.04A	10.38	66.37A	58.71	5.30F
6053	T	ALICO RD, 1000' W OF BEN HILL GRIFFIN PKWY/E OF	E 10077	W 11073	21150 C	10.77F	10.18	53.61F	52.82	5.30F
6054	T	SANTA BARBARA BLVD, AT SW 22 TERRACE, PTMS 2054,	N 12540	S 13364	25904 C	9.66A	9.23	50.97A	52.00	3.56F
6055	T	SANTA BARBARA BLVD, S OF SW 28TH ST & VETERANS P	N 12361	S 12376	24737 C	9.56A	9.18	55.11A	53.03	5.98F
6056	T	CAPE CORAL PKWY, W OF PALM TREE BLVD, PTMS 2056,	E 18589	W 19790	38379 C	9.75F	9.33	56.97F	52.82	5.98F
6057	T	SR 78/PINE ISLAND RD, E OF SW 19TH AVE, PTMS 100	E 6107	W 6300	12407 C	10.26A	9.70	58.27A	55.58	5.98F
6058	T	CHIQUITA BLVD, N OF SW 27TH ST & S OF VETERANS,	N 7640	S 8168	15808 C	9.87A	9.53	53.55A	52.21	8.21F
6059	T	MIDFIELD TERMINAL RD, E OF BEN HILL GRIFFIN/TREE	E 10982	W 11962	22944 C	12.84A	11.58	53.79A	52.82	8.21F
6060	T	BEN HILL GRIFFIN PKWY, S OF MIDFIELD TERMINAL RD	N 12712	S 11714	24426 C	11.06A	9.93	58.89A	56.37	5.30F
6061	T	BEN HILL GRIFFIN/TREELINE AVE, N OF MIDFIELD TER	N 13554	S 12653	26207 C	10.37A	9.46	60.09A	58.49	5.30F
7001		SR93/I-75 NB,OFF-RAMP TO CR865/BONITA BCH RD X1	N 6800	0	6800 C	9.07F	8.51	99.99W	99.99	9.34A
7002		SR93/I-75 SB,ON-RAMP FROM CR865/BONITA BCH RD X1	S 7000	0	7000 C	9.07F	8.51	99.99W	99.99	8.95A
7003		SR93/I-75 NB,ON-RAMP FROM CR865/BONITA BCH RD X1	N 7200	0	7200 C	9.07F	8.51	99.99W	99.99	10.59A
7004		SR93/I-75 SB,OFF-RAMP TO CR865/BONITA BCH RD X1	S 7800	0	7800 C	9.07F	8.51	99.99W	99.99	9.20A
7011		SR 93/I-75 NB, OFF-RAMP TO CORKSCREW RD X1	N 7500	0	7500 C	9.07F	8.51	99.99W	99.99	8.17A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR	
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	
7012		SR 93/I-75 SB, ON-RAMP FROM CORKSCREW RD	X1	S	8100	0	8100 C	9.07F	8.51	99.99W	99.99	7.64A
7013		SR 93/I-75 NB, ON-RAMP FROM CORKSCREW RD	X1	N	6800	0	6800 C	9.07F	8.51	99.99W	99.99	9.63A
7014		SR 93/I-75 SB, OFF-RAMP TO CORKSCREW RD	X1	S	6900	0	6900 C	9.07F	8.51	99.99W	99.99	9.65A
7021		SR 93/I-75 NB, OFF-RAMP TO ALICO RD	X1	N	8600	0	8600 C	9.07F	8.51	99.99W	99.99	10.17A
7022		SR 93/I-75 SB, ON-RAMP FROM ALICO RD	X1	S	8100	0	8100 C	9.07F	8.51	99.99W	99.99	10.93A
7023		SR 93/I-75 NB, ON-RAMP FROM ALICO RD	X1	N	7000	0	7000 C	9.07F	8.51	99.99W	99.99	12.85A
7024		SR 93/I-75 SB, OFF-RAMP TO ALICO RD	X1	S	7200	0	7200 C	9.07F	8.51	99.99W	99.99	10.80A
7031		SR93/I-75 NB,OFF-RAMP TO SR876/DANIELS PKWY	X1	N	9600	0	9600 C	9.07F	8.51	99.99W	99.99	6.98A
7032		SR93/I-75 SB,ON-RAMP FROM SR876/DANIELS PKWY	X1	S	8900	0	8900 C	9.07F	8.51	99.99W	99.99	6.36A
7033		SR93/I-75 NB,ON-RAMP FR SR876/DANIELS PKWY EB	X1	N	4100	0	4100 C	9.07F	8.51	99.99W	99.99	7.14A
7034		SR93/I-75 SB,OFF-RAMP TO SR876/DANIELS PKWY	X1	S	8900	0	8900 C	9.07F	8.51	99.99W	99.99	7.75A
7035		SR93/I-75 NB,ON-RAMP FR SR876/DANIELS PKWY WB	X1	N	5200	0	5200 C	9.07F	8.51	99.99W	99.99	8.24A
7041		SR93/I-75 NB,OFF-RAMP TO SR884/COLONIAL BLVD	X1	N	7900	0	7900 C	9.07F	8.51	99.99W	99.99	8.88A
7042		SR93/I-75 SB,ON-RAMP FROM SR884/COLONIAL BLVD	X1	S	8000	0	8000 C	9.07F	8.51	99.99W	99.99	9.51A
7043		SR93/I-75 NB,ON-RAMP FROM SR884/COLONIAL EB	X13	N	7700	0	7700 C	9.07F	8.51	99.99W	99.99	8.00A
7044		SR93/I-75 SB,OFF-RAMP TO SR884/COLONIAL BLVD	X1	S	8800	0	8800 C	9.07F	8.51	99.99W	99.99	8.58A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -105- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR	
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	
7045		SR93/I-75 NB,ON-RAMP FROM SR884/COLONIAL WB	X1	N	1200	0	1200 C	9.07F	8.51	99.99W	99.99	8.22A
7051		SR93/I-75 NB,OFF-RAMP TO SR82/IMMOKALEE RD	X1	N	3800	0	3800 C	9.07F	8.51	99.99W	99.99	19.33A
7052		SR93/I-75 SB,ON-RAMP FROM SR82/IMMOKALEE RD	X1	S	3700	0	3700 C	9.07F	8.51	99.99W	99.99	18.31A
7053		SR93/I-75 NB,ON-RAMP FROM SR82/IMMOKALEE RD	X1	N	5600	0	5600 C	9.07F	8.51	99.99W	99.99	20.23A
7054		SR93/I-75 SB,OFF-RAMP TO SR82/IMMOKALEE RD	X1	S	5700	0	5700 C	9.07F	8.51	99.99W	99.99	20.23A
7061		SR 93/I-75 NB, OFF-RAMP TO LUCKETT RD	X1	N	3800	0	3800 C	9.07F	8.51	99.99W	99.99	14.06A
7062		SR 93/I-75 SB, ON-RAMP FROM LUCKETT RD	X1	S	3600	0	3600 C	9.07F	8.51	99.99W	99.99	13.43A
7063		SR 93/I-75 NB, ON-RAMP FROM LUCKETT RD	X1	N	2300	0	2300 C	9.07F	8.51	99.99W	99.99	29.91A
7064		SR 93/I-75 SB, OFF-RAMP TO LUCKETT RD	X1	S	2300	0	2300 C	9.07F	8.51	99.99W	99.99	26.62A
7071		SR 93/I-75 NB, OFF-RAMP TO SR 80	X1	N	9300	0	9300 C	9.07F	8.51	99.99W	99.99	9.59A
7072		SR 93/I-75 SB, ON-RAMP FROM SR 80	X1	S	9200	0	9200 C	9.07F	8.51	99.99W	99.99	9.86A
7073		SR 93/I-75 NB, ON-RAMP FROM SR 80	X1	N	4200	0	4200 C	9.07F	8.51	99.99W	99.99	13.23A
7074		SR 93/I-75 SB, OFF-RAMP TO SR 80	X1	S	4600	0	4600 C	9.07F	8.51	99.99W	99.99	11.66A
7081		SR93/I-75 NB,OFF-RAMP TO SR78/BAY SHORE RD	X1	N	9200	0	9200 C	9.07F	8.51	99.99W	99.99	11.69A
7082		SR93/I-75 SB,ON-RAMP FROM SR 78/BAY SHORE RD	X1	S	9500	0	9500 C	9.07F	8.51	99.99W	99.99	10.76A
7083		SR93/I-75 NB,ON-RAMP FROM SR78/BAY SHORE RD	X1	N	950	0	950 C	9.07F	8.51	99.99W	99.99	13.22A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -106- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 12 LEE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====
7084		SR93/I-75 SB,OFF-RAMP TO SR78/BAY SHORE RD	X1	S 1000	0	1000 C	9.07F	8.51	99.99W	99.99	14.56A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:47

PAGE -107- OF -735-

622UPD [1,0,0,2] 1_12_CAADT.TXT

